

Enabling TestNets in Anchor

Guide for Anchor on iOS

Version: 1.2.3




Last updated 2022.05.09 - support@greymass.com

Step 1 - System Settings

To enable TestNets within Anchor, you will need to access your iOS device's system settings.

Once within Settings, you will need to scroll down to the bottom where you'll see configurations for individual apps, which is where you should see Anchor in the list.

Select "Anchor" to continue






Last updated 2022.05.09 - support@greymass.com

Step 2 - Developer Settings

In order to enable TestNets, we must access the Developer Settings. To do so, select "Developer" at the bottom of the screen






Last updated 2022.05.09 - support@greymass.com

Step 3 - Enable TestNets

Within the Developer Settings, you should see the slider for "Enable testnets". Slide it to the right to enable.

You can now return to the Anchor app.



5:21 PM



Developer

DEVELOPER SETTINGS

Enable testnets



If enabled a set of pre-configured testnets will be available. It will also enable developer tools that can be accessed inside the app by tapping five (5) times on the Anchor logo.

CUSTOM TESTNET

Chain ID

Node URL

If the above fields are filled out correctly the network will be made available along the default set of testnets.




Last updated 2022.05.09 - support@greymass.com

Step 4 - Check for TestNets

To verify that TestNets are indeed enabled within Anchor, begin the Account Creation process (Home -> Add Account -> Create Account)

Within the list of potential account types to create, you should see TestNets at the bottom of the list.

If you have any additional questions, please reach out via our Support Portal or at support@greymass.com.





You have Successfully completed the guide

support@greymass.com